

```
-----  
WinSCP Version 5.5.6 (Build 4746) (OS 6.3.9600 - Windows 8.1)  
Configuration: HKEY_CURRENT_USER\Software\Martin Prikryl\WinSCP 2\  
Local account: AsusQ551L\owner  
Working directory: C:\Program Files (x86)\WinSCP  
Process ID: 11580  
Command-line: "C:\Program Files (x86)\WinSCP\WinSCP.exe"  
Time zone: Current: GMT-6, Standard: GMT-6 (Central Standard Time), DST: GMT-5 (Central Daylight  
Time), DST Start: 3/9/2014, DST End: 11/2/2014  
Login time: Tuesday, December 23, 2014 9:20:19 AM  
-----
```

```
Session name: (Ad-Hoc site)  
Host name: (Port: 21)  
User name: (Password: Yes, Key file: No)  
Tunnel: No  
Transfer Protocol: FTP  
Ping type: C, Ping interval: 30 sec; Timeout: 30 sec  
Proxy: none  
Send buffer: 262144  
UTF: 2  
FTP: FTPS: None; Passive: No [Force IP: A]; MLSD: A [List all: A]  
Local directory: default, Remote directory: home, Update: Yes, Cache: Yes  
Cache directory changes: Yes, Permanent: Yes  
DST mode: 1; Timezone offset: 0h 0m  
-----
```

```
Connecting to www. tn.com ...  
Connected with www. tn.com. Waiting for welcome message...  
220 Microsoft FTP Service  
USER etbcr  
331 Password required for.  
PASS *****  
230 User logged in.  
SYST  
215 Windows_NT  
FEAT  
211-FEAT  
SIZE  
MDTM  
211 END  
Connected  
-----
```

```
Using FTP protocol.  
Doing startup conversation with host.  
PWD  
257 "/etbcr" is current directory.  
Getting current directory name.  
Retrieving directory listing...  
TYPE A  
200 Type set to A.  
PORT 192,168,0,50,198,106  
200 PORT command successful.  
LIST -a  
150 Opening ASCII mode data connection for /bin/ls.  
425 Can't open data connection.  
Could not retrieve directory listing  
LIST with -a failed, will try pure LIST  
Retrieving directory listing...  
TYPE A  
200 Type set to A.  
PORT 192,168,0,50,198,107  
200 PORT command successful.  
LIST  
150 Opening ASCII mode data connection for /bin/ls.  
425 Can't open data connection.  
Could not retrieve directory listing  
(ECommand) Error listing directory '/etbcr'.  
The server cannot open connection in active mode. If you are behind a NAT router, you may need to  
specify an external IP address. Alternatively, consider switching to passive mode.  
Could not retrieve directory listing  
Can't open data connection.  
Startup conversation with host finished.
```

TYPE A
200 Type set to A.
REST 0
350 Restarting at 0.
TYPE A
200 Type set to A.
Retrieving directory listing...
TYPE A
200 Type set to A.
PORT 192,168,0,50,198,109
200 PORT command successful.
LIST
150 Opening ASCII mode data connection for /bin/ls.
425 Can't open data connection.
Could not retrieve directory listing
TYPE I
200 Type set to I.
TYPE A
200 Type set to A.